

Title. METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO . 061807-0137


Fig. 1



Title METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO. 061807-0137


Fig.2






Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig.6



Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig.7



Tide: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s)' Koji YOSHIDA, et al DOCKET NO. 061807-0137

Fig.8

ATTRIBUTE		VALUE OF PARAMETER SET IN EMBODIMENT
START POINT ST	X Y	186.5 (mm) 155.5 (mm)
END POINT EN	X Y	215 (mm) 133 (mm)
ACCELERATION OF WAFER STAGE 10	X Y	0.34g 0.2g
MAX SPEED OF WAFER STAGE 10	X Y	270 (mm/sec) 200 (mm/sec)
SETTLING TIME OF W	NAFER STAGE	0.032 (sec)
TIME NECESSARY FOR COORDINATES OF ONE MARK	R MEASURING E ALIGNMENT	0.5 (sec)

g:ACCELERATION OF GRAVITY (=9.80m/sec)

Fig.9


CHIP AREA	COORDINATES OF CENTER	CHIP AREA	COORDINATES OF CENTER
12	(83, 105)	4 1	(149, 83)
1 3	(83, 127)	4 6	(149, 193)
14	(83, 149)	5 1	(171, 83)
1 5	(83, 171)	5 2	(171, 105)
21 .	(105, 83)	5 5	(171, 171)
22	(105, 105)	5 6	(171, 193)
25	(105, 171)	6 2	(193, 105)
2 6	(105, 193)	6 3	(193, 127)
3 1	(127, 83)	6 4	(193, 149)
3 6	(127, 193)	6 5	(193, 171)

Tide: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s)\* Koji YOSHIDA, et al DOCKET NO.. 061807-0137

2(2) 12(3) 12(4) 13(1) 13(2)	19449 0, 132981 0, 132981 0, 142 0.	0.132981 0.132981 0.142	0.109449 0.242	132981 0.109449 X 0.242	$0.149  0.242  0.242  \times$	$0.142$ $0.242$ $0.242$ $0.109449$ $\times$		-	0.439407 0.439407 0.365333 0.365333 0.439407	513481 0.513481 0.	513481 70573481 0.462 0.439407 0	439407 4 0.462 0.462 0.365333 0	433407 0 439407 0.365333 0.365333 0	513481 0 513481 0.439407 0.439407	557976   0.557926   0.483852   0.483852   0	L	(UNIT:SEC)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	65(1)   63(2)   63(3)   0	0.365333 0.365333	439407 0.513481 0.513481 0.439407 0.439407	439407 0.513481 0.513481 0.462 0.439407	0.439407 0.462 0.462 0.385333 0.	0.439407 0.439407 0.365333 0.365333 0.	0.439407 0.513481 0.513481 0.439407 0.439407 0.513481		0 10 103448 0 247 0 147	0.108449 X 0.242 0.242 0.1354 0.135981 0.1359	0.242 0 242	0 132981 X 132981 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		145 0 132981 0
	0 109449 0.132981 0.	0.132981 0.1	$132981 0 132981 \times 0.1$	132981 0 132981 0.	0 149 0 149 0 242	0.142 0.242 0		•••	439407 1 0 439407 1 0.	0 513481 0 513481 0	0.513481 //0/513481	0.462	0.439407 0.439407 0.3	0 513481 0 513481	483859 0.557926   0.557926	4			64(4)	.365333 0.	439407 0	439407 0.	.365333	365333 0	439407 0		· n	.108448 X			327	
START	8998	0 4593			+	3(2) 0.2132	1		(6)		04 4 0 150(21 04 1) 0 1595	· - - - - - - - - - - - - -	3/4		(#)										-							

Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO 061807-0137

Fig.11



Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO: 061807-0137

Fig. 12






Fig. 13




Title. METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO . 061807-0137

Fig. 14




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD liventor(s): Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig. 15




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s): Koji YOSHIDA, et al DOCKET NO 061807-0137

## Fig. 16




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO. 061807-0137

Fig. 17




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s)· Koji YOSHIDA, et al DOCKET NO·061807-0137

Fig. 18




Title METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig. 19




Title. METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s)· Koji YOSHIDA, et al
DOCKET NO.: 061807-0137

Fig.20




Title METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s). Koji YOSHIDA, et al
DOCKET NO.: 061807-0137

Fig.21




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO · 061807-0137


Fig.22




Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO.. 061807-0137



Title- METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO . 061807-0137




Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s). Koji YOSHIDA, et al
DOCKET NO 061807-0137



WOVEMENT SEQUENCE (SEC)

Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s): Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig.26



Title: METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO 061807-0137

Fig.27





Fig. 28



Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO 061807-0137

Fig.29






Fig.30




Title. METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO.. 061807-0137



Fin 31


Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO. 061807-0137

(200)




Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO 061807-0137


Fig. 33



Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO 061807-0137


Fig.34






Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO . 061807-0137

Fig. 35




Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO . 061807-0137


Fig. 36



Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO · 061807-0137



Title METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO.: 061807-0137



Title METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO.. 061807-0137

Fig. 39




Fig.41

GENE REPRESENTATION:

а	р	C	đ	е	d١	d2	dЗ	d4	d5


Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA, et al
DOCKET NO: 061807-0137

۵

Fig. 40


Title METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO. 061807-0137

Fig. 42



Title: METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO . 061807-0137


## Fig. 43



GENE POPULATION


Title METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s). Koji YOSHIDA, et al DOCKET NO . 061807-0137

Fig. 44




Title. METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s) Koji YOSHIDA, et al DOCKET NO . 061807-0137

Fig. 45




Title' METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s): Koji YOSHIDA, et al DOCKET NO. '061807-0137




Title. METHOD OF DETERMINING MOVEMENT SEQUENCE, ALIGNMENT APPARATUS, METHOD AND APPARATUS OF DESIGNING OPTICAL SYSTEM, AND MEDIUM IN WHICH PROGRAM REALIZING THE DESIGNING METHOD Inventor(s)\* Koji YOSHIDA, et al DOCKET NO . 061807-0137

Fig. 47



- ٦ مي

Title METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s) Koji YOSHIDA. et al
DOCKET NO · 061807-0137



Title METHOD OF DETERMINING MOVEMENT
SEQUENCE, ALIGNMENT APPARATUS, METHOD
AND APPARATUS OF DESIGNING OPTICAL
SYSTEM, AND MEDIUM IN WHICH PROGRAM
REALIZING THE DESIGNING METHOD
Inventor(s): Koji YOSHIDA, et al
DOCKET NO.: 061807-0137

Fig. 49

